

## **Ampicillin injector**

### **Composition:**

Each gram of paste contains:  
62.25 mg ampicillin (as trihydrate).

### **Properties:**

Ampicillin is a semi-synthetic penicillin, active against both Gram-positive and Gram-negative bacteria.

### **Indications:**

Calves and lambs: respiratory tract infections caused by *Pasteurella* spp, gastro-intestinal infections caused by *E. coli*.

Piglets: respiratory tract infections caused by *Streptococcus* spp and *Actinomyces* spp, gastro-intestinal infections caused by *E. coli*.

Dogs and cats: respiratory tract infections caused by *E. coli*, *Proteus* spp and Gram-positive cocci, urinary tract infections caused by *E. coli*, *Proteus* spp and Gram-positive cocci, gastro-intestinal infections caused by *E. coli* and Gram-positive cocci, skin infections caused by *Streptococcus* spp.

### **Dosage and administration:**

For oral administration.

Calves, lambs, piglets: 20 - 30 mg ampicillin/kg body weight per day, divided into two doses. Treat for a period of 5 days.

Dogs, cats: 20 - 65 mg/ampicillin/kg body weight, divided into two doses. Treat for at least 5 days (respiratory tract infections; 10 - 14 days).

### **Advised withdrawal times:**

Meat: 28 days.

### **Contra-Indications:**

Known hypersensitivity to penicillins.

### **Side-effects:**

Not known.

### **Warnings:**

Do not combine with therapy utilizing bacteriostatic preparations.

Do not administer to animals with an active microbiological digestion.

### **Storage:**

At room temperature (15 - 25°) and protected from light.

### **Presentation:**

10 g injector.